

1996

PVN Lithic Analysis Sheet 1

Neil Ross

Follow this and additional works at: <https://digital.kenyon.edu/honduras>



Part of the Archaeological Anthropology Commons

Recommended Citation

Ross, Neil, "PVN Lithic Analysis Sheet 1" (1996). *Four Valleys Archive*. Paper 76975.
<https://digital.kenyon.edu/honduras/76975>

This Analysis Sheet is brought to you for free and open access by the Anthropology at Digital Kenyon: Research, Scholarship, and Creative Exchange. It has been accepted for inclusion in Four Valleys Archive by an authorized administrator of Digital Kenyon: Research, Scholarship, and Creative Exchange. For more information, please contact noltj@kenyon.edu.

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	H	Q	1	M	15	N-1				0.88						
		Q P17	I	P-1		S	6	5.0	2.9	8.76	5.07	2.45	0.73	N	L	lots of cutting scars set red on big side
	04	1	M	35	N-2					0.40						
	04	1	I	35	N-2		S/94			2.65	5.45	1.07				
	04	1	M	25	N-2					1.99						
	04	1	M	35	N-1					0.35						
	05	1	P	35	N-3		G/90			0.85	2.10	1.03				
	07	1	P	35	N-2		G/90			2.07	2.96	1.49				
	09	1	P	35	N-2		G			2.62	4.78	1.33				
	09	1	P	35	N-2		G			1.90	3.02	1.36				
	09	1	P	35	N-1		G			2.63	3.07	1.57				
	09	1	M	35	N-2					0.16						
	11	1	I	35	E	1	G/99			0.69	2.47	1.05	0.31	N	L	
	12	1	M	(4)35	N-2					7.21						
	12	1	P	35	E-2					2.90	3.99	1.64				Remains hinge
	12	1	P	35	N-2		S			0.64	2.93	0.78				
	13	1	I	P-1						0.58	1.98	1.90	0.40	N	L	35 SM 3 facets scars dorsal
	13	1	P	35	-		G			1.26	2.26	1.51				Rejuv or B.T. scar
	13	1	M	35	N-3					3.83	4.19					
	13	1	P	25	H					0.56						
	14	1	P	35	N-2		G/99			0.33	1.83	0.62				
	14	1	P	35	N-2		S/102			3.18	3.79	1.89				
	14	1	M-D	15	N-2					0.36						
	14	1	M	35-E	1		S/100			0.35	1.37	0.87	0.23	N	L	
	15	1	N	35	N-2					3.12						2 pieces
	15	1	M	PBC	N-2					0.26						Reverse scars
	16	1	P	35	N-2		S/94			2.21	3.73	1.30				Prob only
	16	1	P	35	N-1		S/84			1.63	2.09	1.71				Prob same as H15
	16	1	M	35	N-2					1.25						
	16	1	M	PBC-D						0.36	1.50	0.78	0.22	N	PVC	add piece

Full range of blade widths

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	17	1	P	35	N-2			5/85			1.83	3.40	1.26				Heard
	20	1	P	35	N-1			5/85			0.86	1.96	1.18				
	20	1	P	35	N-2						3.14	4.73	1.49				
	22	1	P	15	N-2						6.17	3.12	1.99	0.84	B?	HW	Very regular
	22	1	P	35	N-2						2.63	5.01	1.29	0.34			See discussion on one ridge
	24	1	P	35	N-2			5/92			5.32	2.90					2-D 2-H 1-W All fairly regular, same length
	27	1	P	35	N-2						3.06	4.18	1.64				
	27	1	P	35	N-2						2.54						
	29	1	P	35	N-2						2.87						
	29	1	P	35	N-2						2.56						S pieces
	33	1	P	35	N-2			5/88			11.11						
	33	1	P	15	N-1						4.08	4.72	1.71				
	48	1	P	35	N-2			5/90			1.44						Weird prox. & ppos (near by)
	53	1	P	35	N-2						1.86	2.44	1.81	0.46			
	62	1	P	35	N-2						1.53						
	74	1	P	35	N-2						0.66						Both narrow
	83	1	P	35	N-1						18.24						
	93	1	P	35	N-2						1.58						
	93	1	P	35	N-2						0.58						
	94	1	P	35	N-2						0.36	1.82	0.95	0.23	N	Y	Narrow blade or core dish? 35 Blade like
	96	1	P	35	N						0.21						
	96	1	P	35	N						0.57	1.04					
	96	1	P	35	N						0.37						
	96	1	P	35	N-2						1.54	2.97	1.09				
	109	1	P	35	N-2						2.33	3.95					
	120	1	P	35	N						1.40						
	127	1	P	35	N-1						1.42	2.78					
	127	1	P	35	N-3						3.03						
	127	1	P	35	N-3						0.36						
	132	1	P	35	N-2						0.62						

5/26 too

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	14	134	1	17	35	N-2					1.14						
	136	1	P	35	N-2			S/90			4.93	5.94	1.74				Looks like postclassic eland
	136	1	M	35	N-2						0.65						
	136	1	M	35	N-2						1.58						
	136	1	M	35	E						0.66						
	136	1	NE	EE							0.39	1.47	1.50	0.22	N	N	Asterisk 7 Penoves carbonized hole Pass not blade-related Mithras pressure
	136	1	FI	E		N					1.67						
	138	1	ND	35	N						0.63						
	139	1	M	35	E-2						0.54						
	139	1	M	35	N-2						0.78						
	137	1	HD	25	N						0.66						
	137	1	P	E	N	A					0.18	0.61					
	142	1	P	35	N-2			S/93			1.22	2.15	1.49				
	145	1	M	35	N-X						0.27						
	145	1	D	35	N						0.36						
	145	1	M	C-B							1.77	2.01	1.30	0.67	N	N	Exh. 35
	145	1	M	C-B							2.25	2.09	1.36	0.85	N	PVC	Exh. 35 } Mended
	146	1	M	C-B							1.49	1.59	1.43	0.57	N	L	Exh. 35
	146	1	P	E	E	S					0.29						
	149	1	M	25	N-X						1.85						
	151	1	P	35	N-2			S/91			2.54	3.97	1.44				
	151	1	M	35	N-2						1.55						
	153	34B	17	BE	N-2						0.61						Abundant / worn
	153	P	E	E		S					0.36						New C
	162	P	E	E		D					1.13						
	167	1	P	35	N-X			S/98			1.49	3.03	1.02				Old step scar
	167	1	M	35	N-1						1.46						Reinforced
	173	1	M	35	N-2						0.81						it
	186	1	P	35	N-1			S/100			1.90	3.11	1.71				Languethe
	186	1	M	35	N-2						0.53						

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	11	186	1	17	35	N										
		188	P	-	CC				0.75					SP-T		
		190	1	P	35	N-2			4.92							
		192	P	-	CC				1.50	206	142					
		192	1	17	35	N-2			15.00							
		194	1	17	35	N-2			1.32							
		198	1	17	35	N-2			0.39							Use F inventory
		199	1	17	(2) 35	N-2			1.12							"
		199	1-2	17	35	N-2			2.38							
		201	P	NT	E				2.27							
		209	P	E	E				2.78							
		212	1	D	35	N-2			0.83							
		222	1	P	35	E			0.39							
		225	1	P	RT				1.21	1.07						Used ventral st. prox
		228	1	P	35	N-2			4.79	3.17	2.61	0.54	N	H		Does show concave oriented base. Photo in R-D?
		228	1	P	35	N-2			2.45	3.17	1.55					
		228	1	P	35	N-2			1.39	2.32						
		228	1	D	PBS				1.55	2.23	1.30					
		228	1	D	35	N-2			0.70	1.46						
		228	1	17	C-B				1.05							
		228	C-B	-	E				4.98	284	1.66	0.86	N	Y		Exhib 8 facets
		231	P	-	E				9.32					Y		Worn smooth
		233	1	P	35	N-2			0.52							
		233	1	17	(2) 35	N-2			0.62	1.60						
		233	1	17	35	E-2			1.83							
		233	1	ND	35	N			1.33							
		233	C-B	-	E				1.48							
		238	P	-	E				29.84							
		243	1	E	PBF	-			0.89							
		250	1	17	35	N-2			0.25							
		250	1	17	35	N-2			1.04							

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	1	260	1	N	35	PBF	-			1.14						SB's
		260	1	N	35	N-1				0.20		0.50				
		262	1	N	35	N-2				0.98						
		264	1	P	35	N-1				1.78	3.42	1.14				
		264	1	F	RT					1.65	1.97	3.41	0.34	P	P	Jer. shaped piece No flake lithic scars - P or R on 15
		267	1	D	35	N				0.94						Shims E-L
		267	1	N	35	N-2				0.52						
		271	1	N	35	N-3				2.68						
		271	1	N	35	N-4				1.62						Poss. Lejuv. scar
		271	1	D	25	N-2				1.18						
		271	1	C	F					0.62						
		276	1	D	35	N				0.85						
		276	1	F	I-D					0.90						
		276	1	C	F					1.31	2.07	1.90	0.47	-	-	Fl. dorsal. poss P-P. Rec both sides
		278	1	N-D	35	N-2				0.66						Clear
		279	1	N	35	N-2				1.64						
		280	1	N	15	N-3				2.10						
		280	1	D	PBF	N				0.62						
		400	C-P	F	CC					0.42						
		400	C-P	F	CC					1.50	2.22					
12	±	02	1	P	35	N-2				1.15	2.79					
		02	1	N-E	A-1-5					6.18	10.4	2.9				
		02	1	P	F					2.23	2.32	2.41	0.51	N	V	Same shape as 15-C. Reverse side only
		03	1	N	35	N-2				1.78						
		03	1	P	35	N-3				1.09						
		03	1	P	35	N-3				1.80	2.63					
		03	1	F	15-C					5.75	3.5	1.4				
		03	1	P	PBF	N-X				2.28	2.46	2.79	0.33	N	Y	
		03	1	D	35	N				2.81	4.09					Unusual scars
		03	1	D	15/25					0.78						
		03	1	D	15/25					0.77						

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	05	1	17	35	E-2					3.05		1.42				
	07	1	17	(2)35	N-2					4.40						
	07	2	P	35	N-2											
	10	1	P	(2)35	N-2					1.31						
	14	1	(P)17	35	N-2					3.22	3.01					
										2.22						
	15	1	17	35	E-2					1.61	3.45					
	15	1	17	35	E-2					2.69		1.56				
	15	1	17	35	N-2					1.32						
	15	1	17	PBF	E											
	15	1	17	15-E						1.11						
	16	1	17	(2)35	N-2					0.72	1.61	1.52	0.23	N	17	
	16	1	17	35	N-3					3.48						
	16	1	17	35	N					1.26						
	16	1	17	C-13						0.19						
	16	5	E	ID						1.84	2.12	1.57	0.47	N	N	
	17	1	17	35	N-2					3.57	2.36	2.02	0.91	P	M-H	
	17	1	C	E-I						1.15						
	18	1	17	(2)35	N-2					0.82	1.24	1.65	0.41			
	18	1	I	35-PF	-3					3.11						
	19	1	P	35	N-2					1.97	2.42	1.43	0.39	N	M-H	
	19	1	17	35	N-3					3.78	4.47					
	19	1	17	35	N-2					1.28						
	19	1	17	35	N-3					0.76						
	19	1	D	35	N-2					0.60						
	21	1	M	35	N-2					1.20						
	21	3P-07	PBF	N-3						3.62						
	21	1	P	12-P						0.71						
	21	C-08	C	C	N					0.60	1.22	2.38	0.21	-	-	
	22	1	17	(2)35	N-2					2.68						
	22	1	ND	35	N-1					4.15						
	24	7	P	35	N-3					0.51						

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Corr	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	I	24	1	I	15-E	E		578	8.3	3.2	1.91	249	343	0.32	N	P	
		26	1	P	15-E			5180			1.90	145	231	0.33	Y	Y	Many OE. 15 scars
12	J	61	1	I	35	N-3					0.66		1.09				
		02	1	I	35	N-2					1.10		1.26				
		02	1	I	35	N-2					542						
		02	1	P	15-H	N-2					3.13	349	1.77	0.38			
		02	1	P	35	N-3					2.07	2.30					Impurity
		02	1	P	35	N-3					0.71	2.89					
		02	1	F	P8F	N-2					3.30						
		02	1	D	15	N					0.56						
		02	1	P	35	N-1					2.16						
		02	1	P	35	N-1					0.66	2.50					
		02	1	P	35	N-2					0.82	2.29					
		02	1	I	F						0.51						
		03	1	I	35	N-3					3.52		1.67				
		03	1	I	35	N-1					1.81		1.40				
		03	1	I	35	N-2					0.56		0.80				
		03	1	P	35-D*	N-1					0.26						
		03	1	D	35	N-2					0.41		0.65				Pass 15
		03	1	F	P8F						0.65						
		04	3P8	H-D	P8F	N-X					1.05						
		06	1	I	35	N-2					3.54	4.04	1.38				
		06	1	I	25	N-X					4.70	2.85	2.43	0.49			
		13	1	I	(C8)						9.46	2.32	1.39	1.33	N	P	Robust
		16	1	I	35*	N-2					1.27		1.29				Red section, undamaged Exh 35 13 facets
		16	1	I	35	N-2					0.68		1.10				Shows pvc. ref. j
		16	1	F	R-P						0.63	1.84	1.77	0.25	N	L	
		18	1	P	35-D	N-2					1.68	3.02	1.46				3 Facets SHY 35 Scars 100%
		18	1	I	35	N-2					4.45	3.76	1.82				

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	5	19	1	17	35	C-2					230		143				
		19	1	17	35	N-2					175		145				
		20	1	17	35	N-2					181		155				
		22	1	17	35	N-2					253		176				
		22	1	17	15	N-2					0.75		1.16				
		22	1	17	35	N-X					230	325					
		22	1	17	35	N-2					190	206	272	040	P	Y	Plt striated only at edge, 1 scar, 2 facets
		23	1	17	35	C-2					242						
		23	1	17	35	N-2					230		142				
		23	1	17	15	N-1					1.15		1.48				
		23	1	17	35	N-3					3.12		1.72				
		23	1	17	35	N-2					1.01	1.74					
		23	1	17	35	N-2					0.35	0.90					
		23	1	17	35	N-2					0.69	1.74	1.46	0.22	N	C	
		23	1	17	35	N-2					0.88						
		23	1	17	35	N-X					0.97						
		23	1	17	25	N-2					1.80	3.72	1.34				
		26	1	17	35	N-2					0.62		0.93				
		26	1	17	35	N-3					0.36						
		26	1	17	35	N-3					2.62		1.47				
		26	1	17	35	N-3					0.21	1.54	1.20	0.18	N	C	15 core?
		26	1	17	35	N-3					1.36	1.24	1.96	0.55	N	C	Pink manuf. breake
		26	1	17	35	N-3					0.50		0.84				
		29	1	17	35	N-2					2.51	3.17	2.62	0.28			
		29	1	17	35	N-2					2.38	3.15	3.19	0.26			
		29	1	17	35	N-2					1.18	3.63	1.12	0.15			
		32	1	17	35	N-2					0.97	1.95	1.09				
		32	1	17	35	N-2					0.76		0.98				
		32	1	17	35	N-2					0.63	1.56	0.99	0.37	N	C	Platform w/ reverse scars at distal - primary

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	J	33	2	P	35	N-1		S			2.52	3.41	1.56				
		33	1	F	P-P			(u)			1.70	1.73	2.42	0.40	P	v	V. plat. scars 26 rets 35
		34	1	P	35	N-4		G			2.67	2.65					
		34	1	M	35	N-2					1.92		1.36				
		48	1	D	35	N-3					1.36		1.26				
		51	1	M	35	N-2					2.41		1.71				
		55	1	P	35-2			G			1.03	2.70					
		55	1	M	35	C-2					0.35		0.75				
		55	1	M	15	N-2					1.44		1.62				
		55	1	M	35	N-2					1.12		1.23				
		55	1	D	25						0.25						
		55	1	M	C-8						3.55	3.63	1.38	0.76	N	Y	Ext 35 base 2 length split
		68	1	P	35	N-2		G			1.66	4.33	1.01				
		73	1	P	35	N-2					1.21	2.41					
		73	1	M	35	E-1		G			2.11	3.25	1.25	0.38	N	LC	Removes hinge
		73	1	D	35	N-3					1.84		1.39				
		73	1	E	ID						2.14						
		73	1	E	P-X						2.30	3.21	1.39	0.58	P	MCW	All perc
		74	1	M	35	N-2					0.93	2.23	0.75	0.55	P	v	
		74	1	M	35	N-2					2.02		1.60				
		74	1	M	35	N-2					2.65		1.59				
		74	1	M	35	N-2					1.98						
		74	1	P	35-D			S			0.62	2.11	0.96	0.26	N	LC	
		74	1	E	PBF	-					0.85						
		76	1-2	M	35	N-2					2.36		1.31				
		76	1	M	35	N-2					0.90		1.39				
		76	1	M	35	N-2					0.65						
		77	1	M	35	N-2					2.37		1.97				
		77	1	M	35	N-2					2.07		1.30				
		78	1	M	35	N-1					0.92		0.95				

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	5	78	1	M	35	N-2					2.56		1.60				
		81	1	P	35-5			G/x			1.07	2.08	1.53	0.31	N	Y	
		82	1	M	35	N-2					2.42	4.31	1.77				1 reverse
		82	1	M	35	N-2					3.11		1.51				
		82	1	M	35	N-2					2.57		1.74				
		82	1	M	35	N-2					0.50		1.10				
		82	1	M	35	N-2					1.42		1.20				Pitting
		82	1	D	35	N-2					2.00	4.00	1.33				
		82	1	M	35	N-2					1.05		1.25				
		82	1	P	35	N-2					0.46	1.65	1.06	0.31	N	LC	Removes hinge
		87	1	M	35	N-2					1.67		1.49				
		87	1	M	35	N-2					3.02		1.77				
		87	1	M	25	N-X					1.78		1.90				
		87	1	M	PBF	N-2					1.48		1.91				15? 35?
		88	1	M	35	N-2					2.19		2.02				
		89	1	P	35	N-2					0.78	1.54					
		89	1	P	35	N-2					3.66	6.08	1.23		N	C	
		89	1	M	35	N-2					1.05		1.52				
		100	1	P	35	N-2					2.86	4.60	1.40				
		100	1	M	35	N-2					0.84		1.17				
		107	3P8	P	35	N-2					2.61	4.64					
		107	1	P	35	N-2					0.38	3.24	0.58				
		107	1	M	C-BP						4.33	3.49	1.72	0.91	Y	H	Sm 35 diam?
		118	1	M	35	N-2					1.56		1.17				
		124	1	M	35	N-X					3.92	6.00	2.04	0.28			
		124	1	M	35	N-2					2.65		-			H	
12	1	1	1	M	35	N-1					0.85						
	03	1	D	25	N-2						2.67	4.00					
	03	1	M	35	N-2						3.41	5.71					

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	K	03	1-2	P	35	N-2		S			252	3.27					
	03	1	P	35	N-2			S			154	1.84					
	03	1-2	7	35	N-2						1.35						
	03	1	7	35	N-2						0.36						
	04	1	P	35-5	E-1			6/87			1.01	2.35					Shows hinges P-PR
	04	1	7	(3)35	N-2						3.11						
	05	1	P	35	N-2			S			0.95	1.44					
	05	1	P	25	N-X			S			1.96						
	12	1	7	35	N-2						3.01	4.44					Shows P-D
	12	1	7	15	N-1						2.31						
	12	1	M	35	N-2						0.82						
	12	P	C	C				S			0.46						
	13	1	P	35	N-2			S			1.30	2.38					
	13	1	P	35	N-X						1.17	1.80					
	14	1	M	(2)35	N-2						1.90						
	14	1	M	35	N-2						1.00						
	16	1	7	(2)35	N-2						2.26						
	16	1	M-D	35	N-2						1.25						
	16	1	NE	P-25				5/75	104	3.8	3.51	3.56	2.29	0.44	N	LC	Similar to IS-F is core 2nd phase
	17	1	D	35	N						1.65						
	17	1	7	35	E-2						2.05						
	20	1	7	15	N-2						2.84						
	20	1	7	35	N-2						1.20						
	21	1	7	35	N-2						0.93						
	21	1	AD	15	N-1						1.03						
	22	1	7	(2)35	N-2						1.83						
	22	1	P	35	N-2			6			1.16	2.55					
	23	1	7	35	N-X						0.67						
	25	1	D	35	N-2						2.92						
	26	1	7	35	N-3						4.52	4.12	1.72				Shows P-D

Full range of blade widths

Year / Page 8/26/96

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments	
12	K	54	1	7	35	N-2					2.20						Near F	
	58	1	7	35	N-1						1.04							
	58	1	I	35-2F					6108	8.8	2.4	1.32	2.04	1.88	0.39	N	M5	
	57	2	7	35	N-2						1.03						Near F	
	59	1	P	35	N-2						2.37							
	59	1	NE	R-P							1.51	1.54	2.94	0.36	N	N	4 Facets M 35 Scars dorsal	
	59	1	NE	R-P*							1.22	1.60	2.38	0.37	N	L	Thgs 15-C Scars dors no Facets Prob	
	60	1	D	35	N-1						1.10							
	65	1	M	35	F-2						1.16							
	65	1	M	(2)35	N-2						2.24							
	65	1	M	(2)35	N-3						4.21							
	67	1	M	35	F-2/3						2.93						4 Remains hinge	
	67	1	P	35							3.10	4.48					Early Remains hinge	
	69	1	P	35	N-2						3.10	5.12						
	69	1	M	(2)35	N-2						1.30							
	69	1	M	15	N						1.91							
	70	1	RI	R-P							2.21	2.33	2.12	0.41	N	M	Rec? R? Remains hinge 35 core	
	70	1	M	35	N-2						3.87	4.89	1.47	0.45	TD HC		Near C Ret to graver	
	70	1	M	35	N-2						2.22							
	70	1	I	35-C					5/8	7.0	2.6	1.23	2.34	1.60	0.35	N	LC	
	73	1	M	35	F-2						2.72							
	73	2	P	35	N-X						1.36	2.54						
	73	1	I	R-P							2.58	1.75	2.99	0.60	Y	Y	M 35 4 Facets Scars dorsal	
	73	1	NE	P-2					570	12.8	3.5	4.49	3.15	2.36	0.58	P	M	Prob R-P2 15 core or early 35
	73	CF6	F	C							2.60							
	74	1	M	35	N-3						1.40							
	74	1	M	25	N-2						1.68							
	77	1	M	35	N-2						2.58	4.70						
	77	1	M	35	N-3						4.14	4.13						
	79	1	P	35	N-2						1.20							

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Corr	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	K	79	1	M	15	N-1					3.03	4.96					
	K	79	1	M	(3)35	N-2					2.20						
	K	79	P	P	F						2.70						
	K	79	P	C	C						0.93						
	Q3	C48	-	C							1.857						
	Q3	1-2	M	35	N-2						1.85						
	Q3	1	M	(3)35	N-2						3.90						
	Q3	1	ND	35	N						0.84						
	Q3	1	P	35	N-2						1.57	1.88					
	Q1	1	P	35	N						4.23	4.87					
	Q1	1	M	25	N-3						3.63	4.98					Maybe /92
	Q1	1	D	(3)35	N						1.29						
	Q1	1	M	35	N-1						4.36						
	Q1	1	F	PRF							0.40						
	Q2	1	P	15	N						0.35						
	Q2	1	M	(2)35	F-2						2.65	3.51					Maybe /91
	Q2	1	M	15	N-1						7.03	3.46 3.35					
	Q2	1	P	15-5	E-X						1.43						
	Q3	1	P	35	N-2						3.69	4.47	3.12	0.40	N	HL	
	Q3	1	M	35	F-2						2.61	3.13					
	Q3	1	M	(3)35	N-2						3.12						
	Q3	1	P	35	N-3						3.64						
	Q3	1	D	35	N-2						1.79						
	Q3	CED	F	F		N					1.34						
	Q3	1	M	35	N-2						3.29						
	Q3	1	M	35	N-3						2.47						
	Q3	1	P	15	N-2						1.23						
	Q3	1	P	15	N-3						1.40	2.91					NT
	Q6	1	P	35	N-2						1.87						

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	1c	96	1	P	35	N-2		S			0.72	2.87					
		96	1	P	35	N-2		G			2.20	4.61					
		96	1	N	(2)35	N-2					1.75						
		97	1	P	35	N-2		G			1.03	3.74					
		97	1	P	35	N-3					1.40						
		98	1	P	35	N-2					1.30						
		99	1	N	25	N-3					0.72						
		99	1714	I	35	N-2		G			2.43	5.70	1.32	0.24	N	U	
		104	1	P	35	N-2		S			1.46	3.83					
		104	1	M	35	N-1					0.66						
12	K	36	1	P	35	N-2					2.14						
		36	1	NI	C-A						13.34	5.45	1.41	1.20	N	Pos tip	all but pos dist. portion of edge. base. Ret'd by us

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cont	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	H	35	1	M	PBF35	E-2	N	3-	-	-	164	2.15	1.30	0.43	P	M HC	
12	H	35	1	P	PBF35	E-1	N	6484.0	-	1.5	0.95	3.69	0.80	0.33	N	Y LC	
12	H	35	1	M	PBF35	E-X	N	-	-	-	0.46	1.82	1.02	0.24	N	Y HC	
12	H	35	1	M	PBF35	E-X	N	-	-	-	0.47	1.55	(0.84)	0.36	P	S HS	
12	H	36	1	P	PBF35	E-2	N	5406.1	-	2.3	1.54	2.64	1.31	0.32	N	Q HC	
12	H	36	1	P	PBF35	E-2	N	5484.7	-	1.7	2.51	4.20	1.43	0.38	N	Q MC	
12	H	36	1	M	PBF35	E-2	N	-	-	-	2.05	2.38	1.73	0.44	N	Q MC	
12	H	73	1	P	PBF35	E-2	N	5445.0	-	2.1	2.12	3.44	1.55	0.33	N	Q MC	
12	H	73	1	P	PBF35	E-2	N	6100.0	-	3.0	1.06	2.43	1.08	0.35	N	Y MC	Skews E-L
12	H	73	1	P	PBF35	E-X	N	6400.5.0	-	1.7	0.87	1.84	1.33	0.17	N	Y LC	Heavy
12	H	73	1	P	PBF35	E-X	N	6476.9.0	-	2.0	0.84	1.83	1.70	0.15	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	3.15	3.08	1.68	0.44	P	Y MC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	0.80	3.40	0.76	0.28	N	Y MC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	2.16	3.15	1.49	0.38	P	Y MC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	3.26	3.24	1.57	0.53	N	Y MC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	2.41	3.24	1.79	0.36	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	1.68	2.58	1.36	0.32	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	1.03	1.86	1.32	0.35	N	Y MC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	1.43	3.14	1.10	0.28	N	Y MC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	0.46	1.83	0.82	0.21	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	0.50	1.00	1.33	0.34	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-2	N	-	-	-	0.37	1.37	0.67	0.34	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.32	1.14	(0.84)	0.33	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.85	2.08	1.07	0.34	P	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.18	1.29	0.63	0.27	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.84	1.45	1.00	0.60	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	10.30	4.77	2.25	0.30	P	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.74	2.04	0.56	0.85	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	1.51	2.74	1.40	0.30	N	Y LC	Heavy
12	H	73	1	M	PBF35	E-X	N	-	-	-	0.44	1.43	0.91	0.30	N	Y LC	Heavy

By:

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	H	143	3/PB	P	PE35	-	-	G18	12.5	2.8	0.45	1.08	1.51	0.14	N	P	Parallel scars
12	H	143	3/PB	M	PBC35	E-1	-	-	-	-	0.56	2.59	1.01	0.15	N	P	Parallel scars
12	H	144	6	M	PBC35	E-2	N	-	-	-	2.35	4.10	1.65	0.29	N	P	Parallel scars
12	H	144	1	D	PBC35	E-1	N	-	-	-	0.17	0.29	0.85	0.17	N	P	Or note flake
12	H	144	1	I	I	-	N	N4	-	-	0.49	1.73	1.24	0.22	N	P	Thuge
12	H	137	1	P	PE35	E-2	N	708	6	3.4	1.59	2.30	1.68	0.34	P	P	ugly dorsal scars 15 scars?
12	H	145	1	M	PBC35	E-2	N	-	-	-	0.92	1.67	1.59	0.23	N	P	No parallel ridges, not parallel edges
12	H	145	1	M	PBC35	E-3	N	-	-	-	0.90	2.21	1.01	0.30	N	P	MCS
12	H	151	1	D	PBC35	E-1	N	-	-	-	2.90	3.37	1.80	0.48	N	P	MCS
12	H	151	7	P	PE35	E-1	N	608	6	2.7	0.62	2.43	0.98	0.22	N	P	LC
12	H	151	1	P	PE35	E-1	N	N	-	-	1.13	2.44	1.20	0.29	N	P	Struck from distal end of core
12	H	151	1	M	PBC35	E-1	N	-	-	-	1.25	2.33	2.17	0.25	N	P	Very early
12	H	151	1	M	PBC35	E-1	N	-	-	-	0.45	0.91	1.85	0.62	N	P	Very early
12	H	151	2	E	B	-	N	-	-	-	5.33	2.42	2.16	0.88	N	P	Worked at last 3 edges - rectangular
12	H	163	12	M	PBC35	E-2	N	-	-	-	3.05	3.59	1.49	0.40	N	P	Worked at last 3 edges - rectangular
12	H	177	7	M	PBC35	E-2	N	-	-	-	1.91	2.79	1.70	0.32	N	P	Worked at last 3 edges - rectangular
12	H	179	1	P	PBC35	E-1	N	G18	6.9	2.5	0.66	1.45	1.13	0.37	N	P	Worked at last 3 edges - rectangular
12	H	179	1	P	PBC35	E-2	N	G18	9.7	2.7	0.46	1.45	1.13	0.37	N	P	Worked at last 3 edges - rectangular
12	H	179	1	P	PBC35	E-2	N	G18	10.8	3.1	2.09	3.03	1.53	0.32	N	P	Worked at last 3 edges - rectangular
12	H	179	1	P	PBC35	E-2	N	G18	5.1	1.7	0.87	2.62	0.96	0.25	N	P	Worked at last 3 edges - rectangular
12	H	179	1	M	PBC35	E-2	N	-	-	-	1.13	2.35	1.12	0.29	N	P	Worked at last 3 edges - rectangular
12	H	179	1	M	PBC35	E-2	N	-	-	-	0.83	1.65	1.39	0.28	N	P	Worked at last 3 edges - rectangular
12	H	179	1	D	PBC35	E-2	N	-	-	-	1.48	2.77	1.37	0.23	P	P	Worked at last 3 edges - rectangular
12	H	179	1	M	PBC35	E-1	N	-	-	-	1.82	2.82	1.81	0.39	P	P	Worked at last 3 edges - rectangular
12	H	179	1	D	PBC35	E-1	N	-	-	-	0.62	1.78	1.70	0.20	N	P	Worked at last 3 edges - rectangular
12	H	179	6	I	PBC35	E-1	N	-	-	-	0.41	2.04	1.22	0.13	N	P	Worked at last 3 edges - rectangular
12	H	179	1	M	PBC35	E-1	N	-	-	-	2.82	1.33	2.08	1.53	N	P	Worked at last 3 edges - rectangular
12	H	183	1	M	PBC35	E-2	N	-	-	-	0.57	1.60	1.22	0.19	N	P	Worked at last 3 edges - rectangular

By:

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	H	229	CCTF	-	C	-	N	-	-	-	14.90	4.35	3.27	1.60	P	NA	
12	H	229	CCTF	E	E	-	N	-	-	-	6.11	2.56	3.24	0.72	Y	Y	Same material
12	H	229	CCTF	F	F	-	N	-	-	-	1.34	2.38	1.29	0.53	P	P	
12	H	229	CCTF	I	I	-	N	-	-	-	0.63	1.82	1.05	0.48	N	NA	
12	H	239	PB15	M	PBF3	E2N	-	-	-	-	1.15	2.61	0.45	0.25	T	MC	Returned to graver
12	H	268	PB7	M	PBF15	E1N	-	-	-	-	2.95	3.92	1.60	0.43	P	MC	
12	H	268	PB7	M	PBF15	E1N	-	-	-	-	1.03	1.89	1.31	0.41	N	MC	
12	H	269	P	PBF33	E2N	-	-	-	-	-	3.14	3.56	1.84	0.34	N	MC	
12	H	269	P	PBF33	E2N	-	-	-	-	-	4.35	4.72	1.71	0.38	D	MC	
12	H	269	P	PBF15	E2N	-	-	-	-	-	0.59	1.36	1.69	0.24	N	Y H	
12	H	269	P	PBF33	E2N	-	-	-	-	-	0.31	1.41	1.07	0.32	N	Y H	
12	H	269	P	PBF33	E2N	-	-	-	-	-	1.38	1.30	2.33	0.46	Y	Y H5	Prob 15/25
12	H	269	P	PBF33	E2N	-	-	-	-	-	0.51	2.00	0.99	0.30	N	Y LC	
12	H	275	P	PBF33	E2N	-	-	-	-	-	0.98	2.19	1.09	0.28	N	Y PDS	
12	H	275	P	PBF15	E1N	-	-	-	-	-	0.35	1.25	1.28	0.26	N	N LC	
12	H	275	P	PBF33	E2N	-	-	-	-	-	0.36	0.78	1.31	0.44	N	Y M	
12	H	275	P	PBF33	E2N	-	-	-	-	-	0.89	3.90	0.77	0.26	L	Y LC	
12	H	275	P	PBF33	E2N	-	-	-	-	-	0.54	1.98	1.97	0.17	N	P	Scars from prev. ac
12	H	275	P	PBF33	E2N	-	-	-	-	-	3.47	3.50	2.98	0.44	N	Y	Dorsal completely flaking wedge
12	H	275	P	PBF33	E2N	-	-	-	-	-	9.83	4.57	2.19	1.10	P	Y	X-sectional wedge
12	H	281	P	PBF33	E2N	-	-	-	-	-	0.29	1.26	0.71	0.20	N	Y LC	Big
12	J	36	P	PBF33	E2N	-	-	-	-	-	1.81	2.30	1.61	0.42	N	Y MC	
12	J	36	P	PBF33	E2N	-	-	-	-	-	3.50	6.99	1.28	0.27	N	C+ LC	
12	J	36	P	PBF33	E2N	-	-	-	-	-	0.69	1.32	2.05	0.27	N	Y	X-sectional
12	J	57	P	PBF33	E2N	-	-	-	-	-	0.91	1.69	1.43	0.27	N	Y LC	
12	J	57	P	PBF33	E2N	-	-	-	-	-	0.60	2.63	0.91	0.30	N	Y MC	
12	J	62	P	PBF33	E2N	-	-	-	-	-	1.34	2.05	1.30	0.43	N	Y MC	
12	J	62	P	PBF33	E2N	-	-	-	-	-	0.74	2.03	1.17	0.24	N	Y MC	

By

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	J	63	1	M	P8E3	E2N	-	-	-	-	0.78	2.72	0.95	0.21	N	LC	
12	J	63	7	M	P8E3	E2N	-	-	-	-	0.31	1.81	0.96	0.18	N	LC	
12	J	63	1	P	P8E3	E2N	-	-	-	-	2.25	3.15	1.57	0.31	P	MC	
12	J	63	1	P	P8E3	E2N	-	-	-	-	1.80	2.70	1.44	0.31	N	MC	
12	J	63	1	D	P8E3	E2N	-	-	-	-	0.98	1.72	1.65	0.25	N	S H	
12	J	63	1	I	P8E3	E2N	-	-	-	-	1.48	2.61	1.40	0.46	N	LC	Strike flake distal end of core 8/24/17?
12	J	63	1	UI	P8E3	E2N	-	-	-	-	1.85	2.65	1.71	0.49	N	LC	Med 35 core - Edisons R.D. not from slow
12	J	37	1	M	P8E3	E2N	-	-	-	-	2.39	3.18	1.70	0.48	N	MC	
12	J	37	1	M	P8E3	E2N	-	-	-	-	13.71	3.46	3.07	0.51	N	NA	X-section
12	J	39	1	M	P8E3	E2N	-	-	-	-	2.44	4.35	1.77	0.37	N	MC	
12	J	39	1	P	P8E3	E2N	-	-	-	-	0.86	1.84	1.17	0.36	N	MC	
12	J	39	1	P	P8E3	E2N	-	-	-	-	0.75	1.76	0.91	0.41	N	S MS	
12	J	64	1	E	E	-	-	-	-	-	19.41	6.66	3.21	0.86	N	NA	
12	J	64	1	C	C	-	-	-	-	-	28.23	4.85	3.16	1.88	N	NA	
12	J	68	1	M	P8E3	E2N	-	-	-	-	2.54	4.39	1.20	0.39	D	MC	Distal
12	J	68	1	P	P8E3	E2N	-	-	-	-	1.85	3.30	2.01	0.28	N	LC	
12	J	68	1	M	P8E3	E2N	-	-	-	-	0.58	2.41	0.85	0.20	N	LC	
12	J	68	1	D	P8E3	E2N	-	-	-	-	1.82	3.15	1.63	0.27	P	LC	
12	J	68	1	M	P8E3	E2N	-	-	-	-	0.55	1.90	1.11	0.29	N	LC	
12	J	68	1	D	P8E3	E2N	-	-	-	-	0.71	2.70	1.16	0.28	N	MC	
12	J	68	1	M	P8E3	E2N	-	-	-	-	0.63	2.53	0.92	0.20	N	MS	
12	J	68	1	P	P8E3	E2N	-	-	-	-	0.69	2.43	0.90	0.26	N	LC	
12	J	68	1	P	P8E3	E2N	-	-	-	-	1.25	1.47	1.60	0.50	N	MC	
12	J	68	1	D	P8E3	E2N	-	-	-	-	0.68	1.98	1.38	0.24	N	MC	
12	J	68	1	M	P8E3	E2N	-	-	-	-	1.08	2.20	1.62	0.31	N	MS	
12	J	68	1	I	P8E3	E2N	-	-	-	-	2.02	3.29	1.41	0.48	N	LC	Small-Exb. 35 poss C-B (Hinge 8/10/15)

By:

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	J	65	1	17	P8F33	E3	N	-	-	-	1.23	2.31	0.92	0.49	N	<input checked="" type="checkbox"/> New	Too thick
12	J	65	1	M	P8F33	E2	N	-	-	-	1.63	2.45	1.60	0.26	D	<input checked="" type="checkbox"/> HC	
12	J	82	1	P	P8F33	E2	N	S	4.5	2.8	2.45	4.07	1.57	0.31	N	<input checked="" type="checkbox"/> LMC	
12	J	82	1	P	P8F33	E3	N	C	4.7	2.3	1.85	3.94	1.09	0.36	N	<input checked="" type="checkbox"/> MC	
12	J	82	1	17	P8F33	E2	N	-	-	-	7.90	7.06	1.69	0.43	P	<input checked="" type="checkbox"/> HC	Sawing
12	J	125	1	P	P8F33	E2	N	-	-	-	1.98	1.76	1.55	0.93	P	<input checked="" type="checkbox"/> Y	
12	J	125	1	P	P8F33	E2	N	U	6.1	2.4	7.80	3.08	3.02	1.12	N	<input checked="" type="checkbox"/> HS	15-25 (no pressure scars)
12	J	125	1	P	P8F33	E2	N	S	7.4	4.2	2.90	4.06	1.51	0.39	N	<input checked="" type="checkbox"/> MC	
12	J	125	1	P	P8F33	E2	N	S	7.6	2.2	3.20	3.84	1.72	0.39	N	<input checked="" type="checkbox"/> NS	
12	J	125	1	P	P8F33	E2	N	C	6.5	2.3	3.96	4.79	1.55	0.49	N	<input checked="" type="checkbox"/> MC	
12	J	125	1	P	P8F33	E2	N	S	6.5	2.3	2.17	4.32	1.12	0.32	N	<input checked="" type="checkbox"/> HS	
12	J	125	1	17	P8F33	E2	N	-	-	-	2.84	3.94	1.26	0.35	D	<input checked="" type="checkbox"/> Y HC	
12	J	125	1	17	P8F33	E2	N	-	-	-	3.10	4.72	1.27	0.37	D	<input checked="" type="checkbox"/> Y HCS	Heavy sawing
12	J	125	1	17	P8F33	E2	N	-	-	-	0.96	1.88	1.50	0.25	N	<input checked="" type="checkbox"/> MC	
12	J	125	1	17	P8F33	E2	N	-	-	-	0.39	1.14	0.96	0.28	N	<input checked="" type="checkbox"/> MCS	
12	J	125	1	D	P8F33	E2	N	-	-	-	2.66	4.25	2.20	0.28	N	<input checked="" type="checkbox"/> S MS	
12	J	125	1	D	P8F33	E2	N	-	-	-	2.30	4.41	1.57	0.33	N	<input checked="" type="checkbox"/> Y MC	
12	J	125	1	D	P8F33	E2	N	-	-	-	2.19	3.83	1.74	0.37	N	<input checked="" type="checkbox"/> Y MC	
12	J	125	1	D	P8F33	E2	N	-	-	-	1.32	2.10	1.50	0.39	N	<input checked="" type="checkbox"/> MC	Source
12	J	125	1	P	P8F33	E2	N	-	-	-	0.33	2.13	0.69	0.23	P	<input checked="" type="checkbox"/> H	Sawing

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	K	61	1	P	P-2	-	S	V?	76°	-	10.03	5.85	2.29	0.64	HH	HC	Coat. dorsal 15 core. 1 pr. seen
12	K	61	1	M	PBF33	F-2N	-	-	-	-	186	3.17	1.34	0.34	N	Y	MC
12	K	61	1	M	PBF33	F-2N	-	-	-	-	0.96	3.74	0.94	0.21	N	Y	LC
12	K	62	1	M	PBF33	F-1N	-	-	-	-	0.40	2.31	0.71	0.23	N	Y	MC
12	K	62	1	F	F-1S	N	-	X	4.15	4.9	0.79	1.36	1.30	0.41	N	Y	MS
12	L	63	CAF	-	C	-	N	-	-	-	4.38	2.76	1.81	1.34	N	NA	1500 surface hinge
12	K	63	CAF	-	F	-	S	C	-	-	10.84	4.05	2.20	1.13	P	Y	
12	K	63	1	P	PBF33	F-2N	-	S	3.0	1.8	0.75	3.16	0.81	0.22	N	LC	
12	K	63	1	P	PBF33	E-XN	-	S	4.1	4.1	2.21	3.06	1.55	0.52	N	Y	MC
12	K	63	1	P	PBF33	F-2N	-	G	4.70	2.3	2.13	2.24	1.44	0.40	P	Y	MS
12	K	63	1	M	PBF33	F-1N	-	-	-	-	3.40	4.25	1.36	0.46	P	Y	M-HC
12	K	63	1	M	PBF33	F-2N	-	-	-	-	2.40	3.41	1.44	0.40	N	Y	MC
12	K	63	1	M	PBF33	F-2N	-	-	-	-	1.18	2.18	1.44	0.32	P	Y	MC
12	K	63	1	M	PBF33	F-2N	-	-	-	-	0.20	1.64	0.87	0.17	N	Y	LC
12	K	90	1	M	PBF33	F-2N	-	-	-	-	1.54	1.95	1.70	0.36	N	Y	LC
12	K	92	CAF	-	F	-	S	-	-	-	18.24	4.94	3.95	0.90	N	Y	
12	K	96	1	M	PBF33	F-2N	-	-	-	-	1.74	3.78	1.25	0.35	N	Y	MC
12	K	97	CAF	-	C	-	S	-	-	-	8.88	2.93	2.47	1.30	N	Y	
12	K	53	CAF	-	F	-	N	-	-	-	32.43	5.53	6.15	1.33	P	Y	
12	K	80	1	M	PBF33	F-2N	-	-	-	-	1.49	2.10	1.52	0.29	P	Y	HC Heavy sawing

By

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
12	I	30	1	P	35	N-3	N	6.97	3.4	2.5	4.74	2.36	.96	0.26	N	VLc	late
12	I	30	1	P	35-2	N-2	N	6.96	5.4	1.7	1.21	2.04	1.29	0.31	P	M	worn/petioled
12	J	08	1	M-D	25	E-	N	-	-	-	1.45	3.33	1.52	0.23	N	LSC	
12	J	08	1	D	25	E	N	-	-	-	1.88	2.70	1.70	0.50	N	MS/MW	
12	J	09	1	P	35	N-1	N	6.98	7.5	3.0	1.46	2.46	1.94	0.29	N	Lc	
12	J	09	1	M	35	F-2	N	-	-	-	1.90	3.41	1.36	0.32	N	MC	
12	J	09	1	M	35	N-2	N	-	-	-	0.75	2.40	0.93	0.23	N	VL-M	
12	J	09	1	M	35	N-2	N	-	-	-	0.85	2.32	1.22	0.26	N	VL-S	
12	J	15	1	I	R-x	-	-	6.90	10.0	3.4	1.43	3.89	4.71	0.61	Y	V	V. large core ? 75
12	J	82	1	P	35	N-1	N	6.98	6.8	3.0	2.06	3.08	1.34	0.48	N	MSW	++ 33 round
12	J	82	1	M	35	N-3	N	-	-	-	0.56	1.42	1.18	0.38	N	LMW	Poss layette
12	J	83	1	P	35	N-2	N	5.10	3.4	1.9	1.06	2.77	1.09	0.28	N	VLc	
12	J	83	1	F	PBF	-	N	-	-	-	0.18	-	-	-	-	-	
12	J	83	1	D	R-E	-	-	-	-	-	0.64	1.88	1.27	0.40	N	Lc	Removes step ? core
12	J	83	1	M	C-8P	-	-	-	-	-	10.85	3.84	2.29	1.07	P	P	35 small
12	J	84	1	F	M-x	-	N	-	-	-	8.66	3.51	2.52	0.95	T	HS	Percussion blade ? / free to point/worn
12	J	84	1	M	35	F-2	N	-	-	-	4.45	4.18	2.00	0.35	D	HA	Very regular
12	J	84	1	P	35	N-2	N	5.89	8.1	3.0	2.18	2.66	1.80	0.39	N	LMW	
12	J	99	1	F	R-P	-	-	-	-	-	2.01	1.97	3.04	0.35	-	Y	No facets, dorsal scars ? core
12	J	101	1	P	35	N-2	N	5.95	8.8	2.8	1.69	2.08	1.58	0.39	N	NW	
12	J	101	1	P	15	N-1	N	5.85	2.4	1.9	1.03	2.32	1.03	0.38	N	Lc	
12	J	101	1	M	35	N-2	N	-	-	-	0.89	2.44	1.07	0.25	N	MC/HS	
12	J	110	1	I	35-D	H-2	-	-	-	-	1.29	2.51	1.54	0.28	-	-	
12	K	81	C-FB	F	-	N	-	-	-	-	11.50	3.86	3.05	1.09	P	NA	
12	K	78	1	P	35	N-2	N	6.97	7.2	2.6	3.68	4.49	1.56	0.36	N	MS	
12	K	78	1	ME	35	N-2	N	6.90	5.6	3.3	2.20	5.35	1.09	0.25	N	ACLs	
12	K	94	1	P	35	N-2	N	5.94	6.6	1.6	1.07	2.37	1.17	0.31	N	MCW	
12	K	99	2	I	35	F-2	N	6.92	6.6	2.8	2.43	5.68	1.29	0.23	N	VL	Pull to source Experiments?

By

Year / Page

7/30/96

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Regi	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	E	03	1	M	35	N-1				2.82	4.49	1.55	0.38	N	M/L	
	05	1	P	35	N-2		6/103			1.42	2.21	1.65	0.33	N	LC	
	05	1	P	35	N-2		5/43			0.13						
	05	1	P	35	N-2		5/43			1.40	4.47	0.89	0.29	N	H/S	
	05	C-FB	-	C		N				2.85						
	05	C-FB	F	E		N				0.35						
	06	1	P	35	N-2		5/92			3.21	3.69	1.81	0.37	N	M/LC	
	06	1	P	35	N-X		5/4			1.31	1.71	1.54	0.45	N	LC	
	06	1	P	35	N-2					2.11	4.28	1.39	0.32	N	H	
	06	1	P	35	N-2					0.98	2.48	1.02	0.30	N	Mc	
	09	1	P	35	N-2					1.30	2.37	1.28	0.40	N	M/LW	
	09	1	P	35	N-2					1.28	1.82	1.42	0.33	N	M/L	
	10	1	P	35	N-2					0.84	1.03	1.52	0.36	N	M/LB	
	12	1	P	35	N-2		5/101			1.24	2.07	1.40	0.36	N	M/LW	
	12	1	P	35	N-2		5/101			1.60	2.75	1.83	0.31	N	LC/H/S	
	12	1	F	C-PB	C-2		6/96			1.27	3.40	0.94	0.32	N	M/LW	
	13	1	D	25	N-2					3.98	1.26	2.07	1.51	P	H	No clear facets size?
	14	1	M	35	N-2B					1.17	2.25	1.51	0.33	N	Mc	
	14	1	M	35	N-2B					1.91	2.57	1.53	0.37	N	M/LW	
	18	1	P	35	F-2		S			0.59	1.76	1.90	0.27	N	M	Poss R-P
	22	1	M/D	35	M-X		S/X*			2.87	4.78	1.32	0.36	N	M/C	* Curves
	22	1	M	35	N-2					1.98	2.99	1.46	0.35	N	M/LW	shows E.O.
	22	1	M	35	N-2					2.26	2.79	1.60	0.50	N	M	
	24	1	P	35	N-2					1.52	2.43	1.38	0.34	N	M/L	
	32	1	ND	35	N-2					0.55						
	32	1	ND	35	N-2					0.36	1.43	0.94	0.18	N	LC	
13	F	02	1	M	35	N-3				0.93	2.65	0.97	0.24	N	LC	
	02	1	M	35	C-2					1.01	1.58	1.40	0.38	D	H/L	
	62	1	D	35	N-2					1.24	2.58	1.36	0.32	N	M/L	Perc size seems to follow p.c. size

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cont	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	F	07.1	F	PBF	-					0.58	2.01	1.24	0.28	T		Fine bird point
	03	1	P	35	N-1		6/94			1.39	2.40	1.31	0.42	N		
	03	1	7	35	N-2					0.53	1.94	0.84	0.23	N		
	03	C&R	C	F	N					1.13						
	04	1	7	35	N-2					1.70	1.95	1.66	0.38	N		
	07	1	N	35	N-2					0.40	1.52	0.82	0.22	N		Near F
	07	1	N	35	N-2					0.76	2.54	1.00	0.27	N		
	11	1	P	35	N-2		5/94			1.46	2.47	1.85	0.31	N		Post mortem F wk
	11	1	7	35	N-2					2.00	2.78	1.43	0.41	N		
	11	1	14	35	N-3					1.05	2.17	0.97	0.31	N		
	11	1	15	NX						3.18	3.83	1.81	0.38	N		
	11	1	7	PBF						0.50						Heavily worn
	14	1	P	35	N-2		5/91			2.58	3.62	1.35	0.37	N		
	14	1	ND	35	N-2					1.20	2.36	1.21	0.33	N		
	20	1	ND	35	N-X					0.72	1.86	1.56	0.22	N		
	16	1	7	35	N-2					0.27	0.87	-				
	16	1	7	15	N-2					0.94	1.38	1.76	0.33	N		
	16	P&B	I	F	S					1.10	2.83					
13	6	02.1	F	F	S					0.36						
	02	1	P	PBF						0.55	1.25					Abraded/worn
	03	1	D	35	N					0.22	1.13			N		
	03	1	7	OR						0.22	1.46	0.99	0.16	N		
	03	C&R	UT	C	N					0.84				P		Ass thin 35 grade
	06	1	P	35	N-2		6/14			1.65	1.90	1.57				
	06	1	7	35	N-3					0.59	1.42	1.14				
	07	1	HE	35-D	EX		6			6.42	5.03	1.96	0.92	N		HC smelly Removes big steps
	10	1	P	35	N-2		5/104			1.01	2.48	1.11		N		
	12	1	D	35	N-2					2.13	3.02	1.63		N		
														N		

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Corr	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	14	02 P-B	P	C-B		D	G	28.6	17.2	2440	250	4.05	2.47	N	L	Important! Cores have good pit, primitive all cost
		02 C-D	F	CC		D				11299						
		03 1	N	35	N-2					136	316	1.23		N	ML	
		06 1	N	35	F-2					115	1.95	1.40		N	ML	
		06 1	N	35	N-2					125	2.76	1.13		N	LC	Nea / C
		06 1	N-D	35	N-2					0.61	1.08	1.24		N	LC/H	
		06 1	N	35	N-2					1.83	2.97	1.77		N	H	
		06 1	N-D	35	N-2					2.07	3.34	1.37		N	ML/H	
		06 2	D	35	N					1.00	2.06	1.36		N	ML	
		06 C-CT	P	BF		N				1.39	2.47	0.98		N	LC	
		07 1	P	35	N-2		SL			12.73	4.92	2.85	0.84	N	Y	
		07 1	N	35	F-2					1.54	1.85	1.87		N	ML	
		07 1	N	35	F-2					2.04	3.44	1.51		N	ML/H	
		07 1	N	35	N-2					1.20	2.19	1.08		N	ML	
		07 1	N-D	35	N-2					0.68	1.61	1.38		N	LC	
		07 1	N	35	N					1.41	2.32	1.31		N	H	
		07 1	N	35	N-2					1.17	2.73	1.18		N	ML	Pemores hinges
		07 1	N-D	15	N					1.57	2.97	1.31		N	LC	shows E-D
		07 1	D	35	N-2					1.33	2.85	1.77		N	LC	
		07 3 P-B	P	PBE	E-1	G				0.28	1.61	1.25				
		07 3 P-B	N-D	PBE	E	S	-			5.41	5.83					
		07 3 P-B	N-D	PBE	E	S	-			3.00	5.07					
		07 P-B	F	E		D				2.40	2.40			Y	H	Pemores jagged cortex Partially transverse like
		08 1	N	35	F-2					1.32						
		08 1	P	35	N-2		GL			0.99	1.73	1.16		N	H/W	
		08 P-B	F	E		S	U			0.88	1.44	1.41		N	ML	Abv. 2nd
		08 P-B	P	E			GL			4.03	3.13	2.21	0.86	N	LC	Secondary decort
		08 P-B	F	E		T				3.86	2.72	2.54	0.86	N	LC	looks like P-B
		08 P	F	E		S				0.28	1.41	1.35	0.19	N	LC	

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	H 11	1	17	35	N-2					1.50	1.81	1.40		N	Mw	
	15	1	17	15	N-2					3.53	7.28	1.18		N	Mw	Quite regular, straight
	15	1	17	35	N-3					1.55	2.15	1.63		N	M	
	15	1	17	35	N-2					1.90	6.46	1.73	1.29	N	N	Exh 35
	19	1	17	35	N-2					2.32	2.65	1.58		N	H	
13	I.02	1	D	IP						5.24	3.14	4.35	0.37	N	M	Hyge flat dorsal Hinge
	02	CCAF	F	C						8.72						
	02	CCAF	F	C						12.46						
	02	CCAF	F	C						68.80						
	03	1	I	15-F						1.60	2.28	1.71	0.32	N	LC	
	03	CCAF	F	C						12.50				H	V	
	04	1	M	(4)35	N-2					5.45						
	04	1	17	35	N					0.98						
	04	CCAF	F	C						9.60						
	10	1	I	35-DF						1.20	2.53	1.26	0.27	N	LC	Feathers out
	11	1	P	35	N-2					1.82	2.93					
	11	1	P	35	N-1					1.83	2.40					
	12	1-2	P	35	N-2					2.90	3.98					
	12	1	M	35	N-2					0.54						
	14	1	17	(3)35	N-2					4.04						
	14	1	17	15	N-2					2.72						
	14	1	17	PBF						0.40						
	15	1	M	35	N-2					2.76						
	15	1	P	15	N-1					2.08	3.42					Prob -5
	15	1	M-D	15	N-1					1.61						
	15	1	M-D	15	N-2					2.58						
	16	1	RI	R-P						2.28	2.61	2.57	0.38	N	M	Prob flat distal end (face direction); 35
	16	CC		C						5.65						
	17	1	M-D	35	N-2					1.87						

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	I	18	1	P	35	N-2		S			1.67	2.83					
	18	1	P	15	N-1			S			2.09	2.50			N	Mc	Pick #5
	18	1	P	35	N-2						0.92						
	18	1	P	35	N-2			S			2.26	4.25					
	20	1	P	35	N-2						0.67						
	32	1	P	35	N-2						1.51	1.10	2.48	0.84	N	L	15 or earlier
13	J	01	1	P	35	N-2					3.77	4.07					
	03	1	P	35	N						0.90						
	06	1	P	35	N						0.80						Ledge
	09	1	P	35	N-2						4.59						
	09	1	P	35	N-2						1.55	2.06	2.57	0.30	N	L	2 facets 33 scars dorsal
	09	1	P	35	N-2						0.24	0.98	1.14	0.24	N	L	Pick 35 core
	09	1	P	35	N-2						1.80	3.20					All different anals
	11	1	P	35	N-2						6.43	1.5.20					1 near C
	11	1	P	35	N-2						0.72	1.22	1.44		N	L	See photo
	12	1	P	35	N-2						1.79	4.89	1.00		N	L	
	12	1	P	35	N-2						0.36						
	12	1	P	35	N-2						0.30	1.11	1.17	0.31	N	Y	Pick 35-T-2 PAF or P
	16	1	P	35	N-2						0.83						
	16	1	P	35	N-2						1.26						
	16	1	P	35	N-2						1.91						
	16	1	P	35	N-2						2.37	1.77	1.69	0.69	N	Y	
	16	1	P	35	N-2						0.51						
	17	1	P	35	N-2						2.53						
	17	1	P	35	N-2						4.72						
	20	1	P	35	N-2						2.05						
	20	1	P	35	N-2						0.95						
	20	1	P	35	N-2						0.45						
	20	1	P	35	N-2						0.70	2.13					Pick #5

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	I 20	1	P	15-5			S			1.26	258	1.39	0.30	N	Mc	
	I 20	1	P	P2/CB						6.96	422	1.51	0.82	N	Heu	15 core. Follows of layer 4 R-L
	20	P	F	F			S			0.64						
	22	1	P	SN	N-1		-			1.35						
	23	1	D	35	N-2					0.62	2.69	1.01	0.19	N	Mw	Pd non-f break thin
	23	P	F	C			S			1.91						
	31	1	M	15	N-2					2.14						
	31	1	M	35	N-2					3.61						
	31	1	M	35	N-1					0.86						
	31	1	M	35	N-3					0.42						
	31	1	P	35	N-2		V			2.28	2.72					
	31	1	NE	R-D-1						2.27	3.37	1.63	0.59	N	Mc	Not primary 35 core M-L
	31	P	NE	C			D			3.26						
	32	1-2	M	PBF	N-1					0.28	0.97	1.06	0.14	N	CC	Series?
	32	PBF	P	PBF	N-2					0.94						35? is?
	33	1	P	35	N-2		G			1.72	3.97					
	33	1	P	35	N-2		G			1.33	2.28					
	33	1	P	35-2			G			1.11						
	33	1	M	(7)35	N-2					14.69						
	33	1-2	M	35	N-2					1.02						
	33	1	M-D	35(2)	N-2					2.05						
	33	1	P	35	N-2					0.83						
	33	1	P	35	N					1.35						
	33	1	P	35	N-2		S			3.34	3.89					
	33	1	P	35	N-2		S			0.69	1.88					
	33	1	P	35	N-2		S			0.88	2.36	1.31	0.45	N	CC	Blade-like 3 facets - S 35
	33	C-C	I	(3)F			S-1			4.016						
	33	C-C	-	C			N			2.78						
	34	1	I	35-F			S			0.60	2.15	1.23	0.18	N	Mc	
	35	1	M	(2)35	N-2					2.75						

Messy rock scars. Pd non-f break
 Abraded/worn
 Not rather fine

Near C

Not primary 35 core M-L

Series?

35? is?

Mw

Blade-like 3 facets - S 35

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	J	35	1	M	35	N-1					0.73						
		35	1	M	35	N-12					1.19						
		35	1	D	35	N-2					1.23						
		35	2	D	35	N-2					0.52						
		35	1	M	15	N-7					1.19						
		35	1	D	25	N					0.50						
		35	1	P	PE-1-5				5/70 -		1.89	1.83	1.99	0.58	N	Y	unabraded like 15-f
		35	1	C	1						0.42						Not pulled
		36	1	M	35	E-2					1.85						
		36	1	M	(2)35	N-2					1.60						
		36	1	D	PE-D	N-1					0.31						
13	K	01	3/108	I	F				G		0.47	1.53	1.29				HE Boke in entirety?
		04	1	M	35	N-2					1.50						
		04	1	M	15	N-2					0.54						
		18	1	M	35	N-3					1.09						
		18	1	M	35	N-7					1.56						
13	L	02	1	P	35-2	N-2			G		1.84	2.66					
		02	1	D	35	H-3					2.84	5.61					
		02	1	M	35	N-2					0.43						Narrow
		02	1	D	35	N-2					0.29						
		02	1	H	25	N-2					2.39						Big R.D. scar
		03	1	P	35-2	N-2			G		1.14	2.17					
		03	P	E	E	M					0.36						
		03	1	M	35	E-2					1.79						
		03	1	P	35-F				5/82 10.2	3.8	1.40	1.76	2.17	0.28	N	Y	Maybe 15
		03	CE	F	F	S					3.61						
		18	1	M	35	N-2					1.59						
		18	1	D	PE-F						0.44						15, region 35

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Regl	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	L	18	1	T	35-D-S			15			0.68	2.45	0.89	0.27	N	LC	
		19	1	T	35	N-2					0.98						
13	N	04	1	P	35	N-2		S			1.76	2.39					
		04	1	T	35	N-2					1.63						
		04	1	T	35	N-2					0.91						
		15	PB	-	C			S			1.11						
		18	1	P	E-P			(G	25.9	17.7	5.44	2.66	2.44	1.23	N	L	Need 35 4 scans
		18	1	F	IE						0.55	1.51	1.24	0.23	N	L	
13	N	03	1	T	35	N-2					0.42						
		03	1	F	E						2.87						
		23	1	UE	15-S			S/K			0.88	2.94	0.91	0.26	N	LC	
		29	1	N-D	35	N-2					1.87	3.91	1.36	0.27	N	LC	
		29	1	D	35	N-2					0.38						Pos 25
		29	1	D	35	E-3					0.29	2.09	0.84	0.15	N	PVL	Need back
		31	1	T	35	N-2					0.60						
		32	1	T	35	N-2					0.34						
		34	1	T	35	N-2					0.60						
		34	1	I	15-F			S/K	8.1	2.5	2.14	2.77	2.67	0.41	N	M	Follows pen 15-F Pass pec. (R-A) P-25
		35	1	T	435	N-2					2.64						
		35	1	T	15	N-1					0.88						
13	P	07	1	ND	35	N-3					0.93						
		07	1	B	J						0.05	1.97	0.46	0.10	N	N-C	Like 02, but pass and 4 large pieces
		07	1	T	R-D						1.15	2.50	1.59	0.38	N	PVL	25 core
		08	1	NT	35	N-2					2.43	6.98	1.10	0.26	N	LC	Heard
		08	1	P	35	N-2					1.43	4.05					
		08	1	P	235	N-2					2.56	3.73					
		08	1	P	35	N-2					0.64						

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments	
13	P 08	1	17	(2)35	N-3					1.97							
	08	1	17	(2)35	E-2					2.92							
	08	1	17	(3)35	N-2					0.87							
	08	1	17	35	E-2					0.12	1.23	0.47	0.11				
	08	1	17	15	N-1					0.44							
	08	1	17	15-F						0.44							
	08	1	17	15-C						0.72	2.13	1.81	0.17	N	ULC	Poss post-regim.	
	08	1	17	35-C						0.72	1.71	1.37	0.27	N	LC	Post-regim.	
	08	1	17	35-C						0.57	2.71	1.44	0.45	N	HS		
	08	1	17	35-C						0.68	1.9	0.67	1.78	1.22	0.24	N	LC
	08	1	17	15-C						0.70	2.0	0.36	1.52	1.04	0.15	N	LC
	08	1	17	35-C						0.94	2.2	0.63	1.49	1.46	0.31	N	LC
	08	1	17	35-C						0.53	1.405	0.57	0.15	N	LC	Poss perc. removed from core of plot	
	08	1	17	35-C						0.65	2.26						
	08	1	17	35-C						0.74	3.40						
	08	1	17	35-C						1.42							
	08	1	17	35-C						3.12							
	08	1	17	35-C						0.11							
13	Q 03	1	17	35	N-2					0.34	3.23	0.54					
	03	1	17	25	N-2					1.32							
	03	1	17	35	N					0.65							
	04	1	17	35	N-2					1.23							
	05	1	17	35	N-3					0.96							
	05	1	17	35	N-4					1.71							
	05	1	17	35	N-1					1.33							
	05	1	17	35	N-1					0.84	1.54						
	05	1	17	35	N-1					2.26	4.12	1.59	0.43	N	PL		

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	E	35	2	P	PBF35	E-2N	N	572	5.2	2.5	1.31	2.74	1.21	0.30	N	8 MC	Water-worn
13	E	35	1	M	PBF35	E-2N	N	-	-	-	1.05	1.98	1.46	0.34	N	8 MC	Water-worn
13	E	1	1	P	P-2	-	N	578	4.1	4.9	3.38	3.54	2.07	0.28	N	8 MC	Water-worn
13	E	05	647F	F	-	-	N	-	-	-	13.77	4.63	3.83	1.04	N	NA	Water-worn
13	G	03	1	M	PBF35	E-2N	-	-	-	-	0.55	1.68	0.92	0.30	N	8 MC	Water-worn
13	G	03	1	M	PBF35	E-2N	-	-	-	-	1.08	1.54	1.28	0.41	D	8 MC	Water-worn
13	G	03	1	M	PBF35	E-2N	-	-	-	-	0.45	0.87	1.44	0.32	N	8 MC	Water-worn
13	G	03	1	P	-	-	-	-	-	-	2.69	1.45	1.62	1.24	N	N	Water-worn
12	G	09	1	-	-	-	N	-	-	-	1.08	1.32	1.20	0.61	Y	Y	Water-worn
13	G	15	1	P	PBF35	E-2N	-	5100	4.3	1.7	1.45	3.03	1.08	0.23	N	8 MC	Water-worn
13	G	15	1	M	PBF35	E-2N	-	-	-	-	2.00	2.64	1.37	0.42	N	8 MC	Water-worn
13	G	15	1	M	PBF35	E-2N	-	-	-	-	1.07	2.63	1.24	0.29	N	8 MC	Water-worn
13	H	01	1	M	PBF35	E-2N	-	-	-	-	0.67	1.05	1.60	0.28	N	8 MC	Water-worn
13	H	08	1	D	PBF35	E-2N	-	-	-	-	3.58	4.20	1.47	0.44	N	8 MC	Water-worn
13	H	08	1-2	M	PBF35	E-2N	-	-	-	-	1.80	3.78	1.52	0.25	N	8 MC	Water-worn
13	H	08	1	P	-	-	-	-	-	-	0.31	1.20	1.03	0.20	N	N	Water-worn
13	H	09	1	P	-	-	-	-	-	-	4.30	3.12	2.16	0.55	N	N	Water-worn
13	H	11	1	P	-	-	-	-	-	-	0.89	1.86	1.46	0.27	N	P	Water-worn
13	H	11	1	P	-	-	-	-	-	-	0.86	1.92	1.91	0.30	N	P	Water-worn
13	H	11	1	P	PBF35	E-2N	-	578	2.0	1.65	3.42	1.19	0.33	N	8 MC	Water-worn	
13	H	11	1	P	PBF35	E-2N	-	578	2.3	0.76	1.96	1.02	0.25	N	8 MC	Water-worn	
13	H	11	1	D	PBF35	E-2N	-	-	-	-	0.53	1.35	1.47	0.32	N	8 MC	Water-worn
13	H	11	1	P	-	-	-	-	-	-	0.12	1.41	1.12	0.10	N	P	Water-worn

By:

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	I	04	1	P	P8F ³³	E-2N	S/984	0	1.5	1.47	74.27	1.01	0.30	N	L		Flow R-P.R. on surface
13	I	04	1	-	E	-	N	NA	-	1.22	2.11	1.32	0.94	N	P		prob 33 core
13	I	06	C-4B	-	E	-	S	V	-	2.80	1.76	2.52	0.35	N	P		Epider reduction of indenter piece?
13	I	06	C-FB	-	RF	-	N	NA	-	2.83	3.67	1.38	0.46	N	Y		
13	I	07	2	M	P8F ³³	E-3N	-	-	-	2.36	3.25	1.64	0.32	N	S HCS		
13	I	07	1	M	P8F ³³	E-2N	-	-	-	0.96	1.94	1.47	0.22	N	P LC		
13	I	07	1	M	P8F ³³	E-2N	-	-	-	0.73	1.20	1.59	0.26	N	M HC	Aborted	
13	I	07	1	M	P8F ³³	E-2N	-	-	-	0.58	1.46	1.16	0.27	N	P MC	Aborted	
13	I	07	1	M	P8F ³³	E-3N	-	-	-	0.50	1.47	1.71	0.27	N	M L		
13	I	07	P	I	E	-	S	-	-	0.60	1.86	1.22	0.23	N	N		Bipolar
13	I	08	1	M	P8F ³³	E-2N	-	-	-	2.73	2.72	1.73	0.48	N	M HCS		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	1.67	2.55	1.34	0.37	N	M M-HC		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	0.75	2.06	0.85	0.35	N	L S		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	0.90	1.70	1.42	0.31	N	P LC		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	0.77	1.75	1.07	0.35	N	L		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	0.64	1.72	1.05	0.31	N	M LC		
13	I	08	1	M	P8F ³³	E-2N	-	-	-	0.65	1.17	1.27	0.37	N	Y MC		
13	I	08	P	-	E	-	S	-	-	0.40	1.56	0.84	0.36	N	Y		Bipolar
13	I	08	C-CTE	-	CC	-	S	-	-	8.90	4.60	4.61	3.53	N	P		Multidirectional
13	I	09	1	M	P8F ³³	E-2N	-	-	-	2.43	3.21	1.74	0.35	N	Y LC		
13	I	09	1	D	P8F ³³	E-2N	-	-	-	0.63	1.74	1.41	0.20	N	P MC		
13	I	09	1	M	P8F ³³	E-2N	-	-	-	0.25	1.15	0.98	0.20	N	M		Aborted
13	I	16	1	P	P8F ³³	E-2N	C/969.5	3.3	-	2.25	3.09	1.69	0.32	P	Y MC		
13	I	16	1	D	P8F ³³	E-3N	-	-	-	1.40	3.11	1.43	0.40	N	M LC		
13	I	16	1	D	P8F ³³	E-2N	-	-	-	0.77	1.66	1.52	0.27	N	Y LC		
13	I	16	1	M	P8F ³³	E-2N	-	-	-	0.50	1.59	1.02	0.24	N	Y H		
13	I	16	6	M	P8F ³³	E-1N	-	-	-	0.38	1.69	0.86	0.17	N	M		
13	I	16	1	P	P8F ³³	E-2N	C/94.7	1.3	-	0.76	1.58	1.44	0.29	N	M		Water-worn
13	I	16	6	M	P8F ³³	E-3N	-	-	-	0.74	1.72	1.43	0.28	N	M		Aborted

13 I 16 1 I 15-F - N S/7011.7 5.3 1.25 1.74 1.44 0.45 N 175 Core-shaping? Year / Page: _____

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	I	20	1	M	PBF ³⁵	E-3	N	-	-	-	2.09	2.22	1.82	0.31	N	Y HS	
13	I	20	1	D	PBF ³⁵	E-1	T	-	-	-	1.23	2.21	1.20	0.33	N	S HS	Trace of cortex at distal
13	I	20	1	M	PBF ³⁵	E-2	N	-	-	-	0.49	1.28	1.24	0.23	N	S MC	
13	I	20	2	M	PBF ³⁵	E-2	N	-	-	-	0.41	1.75	1.19	0.14	N	Y MC	
13	I	20	C-8	-	F	-	D	-	-	-	5.48	3.19	2.24	0.66	N	NA	
13	I	20	C-8	-	F	-	S	-	-	-	4.17	2.29	2.44	0.67	N	NA	Secondary defect
13	I	21	1	M	PBF ³⁵	E-2	N	-	-	-	0.70	2.01	1.37	0.17	N	Y MC	
13	I	21	6	M	PBF ³⁵	E-2	N	-	-	-	0.45	1.55	1.21	0.22	N	LC	
13	I	22	1	P	PBF ³⁵	E-2	N	-	-	-	2.12	2.42	1.85	0.37	N	Y MC	
13	I	22	P-8	-	F	-	S	-	-	-	5.80	2.99	2.28	0.99	N	Y	
13	I	24	1	M	PBF ³⁵	E-3	N	-	-	-	1.06	1.69	1.69	0.32	N	LC	
13	I	24	1	M	PBF ³⁵	E-2	N	-	-	-	2.09	2.81	1.36	0.46	D	Y H	Leaves R
13	I	31	1	P	PBF ³⁵	E-2	N	-	-	-	4.13	5.39	1.68	0.27	D?	Y MC	
13	I	31	1	M	PBF ³⁵	E-2	N	-	-	-	1.92	4.29	1.31	0.28	N	Y MC	
13	I	31	1	M	PBF ³⁵	E-2	N	-	-	-	1.22	1.66	1.40	0.44	H	Y MC	
13	I	31	1	M	PBF ³⁵	E-2	N	-	-	-	0.58	1.27	1.13	0.33	N	Y LS	
13	I	31	1	P	PBF ³⁵	E-1	N	-	-	-	1.67	2.80	1.19	0.47	N	Y MS	Secondary platform?
13	I	31	1	P	PBF ³⁵	E-2	N	-	-	-	3.50	3.85	2.17	0.30	Y	Y HCS	P100/35
13	I	35	2	M	PBF ³⁵	E-2	N	-	-	-	1.09	2.30	1.15	0.35	N	Y MC	
13	I	35	1	P	PBF ³⁵	E-2	N	-	-	-	2.03	2.74	1.69	0.31	N	Y MC	
13	I	35	1	P	PBF ³⁵	E-2	N	-	-	-	1.82	3.00	1.38	0.36	N	Y HCS	
13	I	35	1	P	PBF ³⁵	E-2	N	-	-	-	1.15	2.46	1.45	0.24	N	LC	
13	I	02	1	M	PBF ³⁵	E-2	N	-	-	-	0.94	2.43	0.79	0.33	N	Y MC	
13	I	02	P	-	F	-	D	-	-	-	0.16	1.37	0.65	0.21	N	N	Possibly petite
13	I	13	1	M	PBF ³⁵	E-2	N	-	-	-	1.23	2.65	1.18	0.32	N	Y MC	
13	I	13	1	M	PBF ³⁵	E-2	N	-	-	-	0.59	1.30	1.40	0.22	N	LC	
13	I	13	1	M	PBF ³⁵	E-2	N	-	-	-	0.64	1.05	1.81	0.35	N	Y MC	
13	I	13	1	P	PBF ³⁵	E-2	N	-	-	-	0.93	2.40	1.86	0.19	N	Y L	
13	I	19	1	P	PBF ³⁵	E-2	N	-	-	-	2.52	3.47	1.40	0.53	N	Y H	
13	I	19	1	P	PBF ³⁵	E-2	N	-	-	-	0.72	1.97	0.91	0.27	N	L	

By

Year / Page

PVN Lithics Catalog Form

Op	Sub Lot	Mat	Seg	Spec.	Reg	Cort	Sp	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	J 19	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.75	1.41	1.36	0.26	N	✓ H	
13	J 19	1	M	PBF ³⁵ E2N	-	-	-	-	-	1.86	2.37	1.40	0.36	N	✓ H	LHS
13	J 19	7	M	PBF ³⁵ E2N	-	-	-	-	-	0.90	2.12	1.46	0.25	N	✓ H	5.45
13	J 19	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.40	1.10	1.42	0.21	N	✓ H	LC
13	J 21	1	D	PBF ³⁵ E1N	-	-	-	-	-	0.28	2.76	0.64	0.18	N	✓ H	LC
13	J 21	1	P	PBF ³⁵ E2N	SFB ³⁵ S.5	3.4	2.09	3.68	1.18	0.38	N	N	N	N	S FLOW	
13	J 21	1	E	R ² - N	-	-	-	-	-	0.62	1.69	1.33	0.17	N	✓ P	S-EM 35 post cut 2 facets
13	J 25	1	D	PBF ³⁵ E2N	-	-	-	-	-	0.88	2.17	1.48	0.31	N	✓ MC	
13	J 26	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.18	1.42	0.84	0.14	N	✓ LC	Remove line
13	J 29	1	P	R ² - N	-	-	-	-	-	5.82	2.64	4.12	0.43	N	✓ M	High core Distal scar dorsal 35?
13	J 30	1	E	ID - S	U	-	-	-	-	1.80	2.84	1.05	0.58	N	NA	Path of cortex - 35 core
13	J 30	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.97	2.22	1.41	0.36	N	✓ LC	
13	K 07	1	M	PBF ³⁵ E1N	-	-	-	-	-	1.06	2.05	1.41	0.34	N	✓ MC	MC
13	K 09	1	P	PBF ³⁵ E2N	SFB ³⁵ 8.1	3.0	1.16	2.31	1.29	0.29	N	N	N	N	✓ MC	
13	K 09	1	D	PBF ³⁵ E2N	-	-	-	-	-	0.23	1.55	0.83	0.23	N	✓ LC	
13	L 05	CCE	E	F ³⁵ - N	-	-	-	-	-	1.13	3.12	1.52	0.40	T		Retouched graver
13	L 08	1	M	PBF ³⁵ E2N	-	-	-	-	-	1.60	1.95	1.55	0.46	N	✓ MC	
13	L 08	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.81	2.00	1.18	0.29	N	✓ MC	
13	L 08	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.46	2.00	0.88	0.25	N	✓ MC	
13	L 10	1	P	PBF ³⁵ E2N	SFB ³⁵ 11.4	4.0	1.65	2.00	1.73	0.32	N	N	N	N	✓ LC	
13	L 10	1	M	PBF ³⁵ E2N	-	-	-	-	-	0.35	1.02	1.48	0.23	N	✓ LC	
13	L 10	CCE	E	CC - N	-	-	-	-	-	11.79	3.79	5.31	5.03	N	NA	Unidirectional
13	L 13	1	M	PBF ³⁵ E2N	-	-	-	-	-	1.19	1.84	1.64	0.31	N	✓ MC	
13	M 01	1	P	PBF ³⁵ E2N	616	5.8	3.8	2.48	2.70	2.17	0.41	N	N	N	✓ M	High, etc. Secondary pitting
13	M 01	1	M	PBF ³⁵ E2N	-	-	-	-	-	1.81	2.33	1.51	0.39	N	✓ MC	
13	M 01	1	M	PBF ³⁵ E2N	-	-	-	-	-	1.07	1.47	1.64	0.36	N	✓ MC	

By

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	M	05	1	D	PBE ³	F-1	N	-	-	-	0.46	3.15	0.69	0.28	N	P	Broken by us in 2
13	M	05	1	M	PBE ³	E-2	N	-	-	-	0.83	2.18	1.12	0.34	P	Y TL	Broken? spall removed
13	M	05	1	P	PBE ³	E-2	N	\$P\$04.8	2.2	1.87	3.00	1.51	0.31	N	Y LC		
13	M	06	0.8	P	PBE ³	E-1	N	-	-	-	1.35	1.56	1.95	0.52	N	Y MS	
13	M	06	1	M	PBE ³	E-X	N	-	-	-	1.05	2.59	0.93	0.46	N	Y M	Pretty ugly broken
13	M	17	1	P	PBE ³	E-2	N	\$P\$04.5	2.6	1.20	2.84	1.14	0.33	N	Y LC		
13	M	17	1	M	PBE ³	E-2	N	-	-	-	1.10	2.31	1.21	0.32	N	Y TL	
13	M	19	2	P	PBE ³	E-2	N	\$P\$06.4	1.9	2.25	4.40	1.24	0.34	N	Y LC		
13	M	19	1	M	PBE ³	E-1	N	-	-	-	3.01	3.91	1.56	0.48	P	Y MCS	
13	M	19	2	M	PBE	E	N	-	-	-	1.34	2.07	1.42	0.43	N	Y M	
13	M	19	1	D	PBE ³	E-1	N	-	-	-	0.76	2.69	1.02	0.31	D	Y MC	
13	M	19	1	D	PBE ³	E-2	N	-	-	-	0.52	2.25	1.10	0.27	N	Y MC	
13	M	20	1	M	PBE ³	E-1	N	-	-	-	1.31	2.33	1.31	0.34	N	Y LC	
13	M	20	1	P	PRE15E	N	N	\$S\$16.8	2.1	0.63	1.83	1.09	0.27	N	L		End in hinge
13	N	01	1	CED	F	-	N	-	-	-	6.88	3.10	3.87	0.62	N	NA	
13	N	02	1	F	IRE	-	N	-	-	-	1.35	1.68	2.17	0.40	P	Y C	Poss P-7 Penetration Score
13	N	02	3.0	P	IRE	-	N	-	-	-	1.83	2.25	2.46	0.23	N	L	One pickable facet visible
13	N	08	6	M	PBE ³	E-2	N	-	-	-	0.81	1.24	1.58	0.28	N	Y HS	Water worn
13	N	08	1	M	PBE ³	E-2	N	-	-	-	1.78	1.76	1.77	0.43	N	Y MCW	
13	N	15	1	P	PBE ³	E-1	N	\$P\$05.8	3.5	0.86	2.74	1.07	0.22	N	Y HC	Mineral lip restored	
13	N	16	1	F	-	-	D	C	2.5	-	2.17	2.87	1.67	0.46	N	N	Decort
13	N	16	1	M	PBE ³	E-2	N	-	-	-	2.60	3.41	1.61	0.34	N	Y MS/HC	
13	N	16	1	P	PBE ³	E-2	N	\$P\$03.8	2.6	1.00	2.14	1.00	0.32	P	Y Y	Spalls removed	
13	N	29	1	D	PBE ³	E-X	N	-	-	-	2.21	2.68	1.69	0.38	N	Y MC	
13	P	02	2	P	PBE ³	E-2	N	\$P\$05.6	3.1	2.50	3.40	1.52	0.40	H	Y HC		
13	P	02	1	M	PBE ³	E-2	N	-	-	-	1.46	2.55	1.17	0.34	D	Y HC	
13	P	02	1	M	PBE ³	E-2	N	-	-	-	1.14	1.79	1.41	0.36	N	Y MC	
13	P	02	1	F	PRE	-	N	-	-	-	1.10	2.34	1.55	0.26	N	N	6 Facets visible - asking retaining platform

Med 35
Bom 2264

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	P	03	1	17	PBF3	E-2N	-	-	-	-	1.13	2.25	1.36	0.27	N	X MC	
13	P	03	1	P	PBF3	E-2N	-	-	-	2.3	0.62	2.49	0.82	0.30	N	LC	
13	P	03	1	P	PBF3	E-2N	-	-	-	2.7	1.45	1.94	1.85	0.32	N	LC	Huge early too
13	P	10	1	I	PBF3	E-2N	-	-	-	NA	8.50	8.20	2.05	0.50	N	X LC	
13	P	10	1	17	PBF3	E-2N	-	-	-	-	2.00	2.88	1.39	0.39	N	X MC	
13	P	10	1	17	PBF3	E-2N	-	-	-	-	2.35	2.89	1.88	0.28	N	X MC	
13	P	10	1	17	PBF3	E-2N	-	-	-	-	2.19	2.82	1.62	0.39	N	X MC	
13	P	10	1	17	PBF3	E-2N	-	-	-	-	1.00	1.35	1.84	0.33	N	X MC	
13	P	10	1	17	PBF3	E-2N	-	-	-	-	0.54	1.59	1.15	0.28	N	X MC	
13	P	10	1	D	PBF3	E-2N	-	-	-	-	1.94	2.77	1.91	0.30	N	X MC	
13	P	10	1	I	PBF3	E-2N	-	-	-	-	0.16	1.35	1.21	0.12	N	X MC	
13	P	10	P-B	I	E	-	D	C	-	-	12.82	3.32	3.61	1.16	N	N	shaping?
13	P	10	P-B	I	E	-	S	U	-	-	1.78	2.43	1.94	0.29	N	P	co 1/3 - middle
13	P	10	P-B	I	E	-	-	NA	-	-	1.92	3.33	1.84	0.48	N	P N	Secondary deart
13	P	10	P-B	I	E	-	S	C	-	-	0.36	1.41	1.51	0.15	N	L	"
13	P	10	P-B	I	E	-	S	C	-	-	0.23	1.57	0.88	0.20	N	N	Cort on edge
13	P	04	1	P	PBF3	E-1N	-	-	-	2.7	1.60	2.35	1.46	0.41	P	MC	Secondary deart
13	P	04	1	P	PBF3	E-1N	-	-	-	2.3	1.94	1.90	1.81	0.47	N	X LC	
13	P	04	1	17	PBF3	E-1N	-	-	-	-	0.83	2.41	1.38	0.28	N	X LC	
13	P	04	1	17	PBF3	E-1N	-	-	-	-	1.54	1.90	1.94	0.31	N	X MC	
13	P	04	1	17	PBF3	E-2N	-	-	-	-	0.83	1.80	1.21	0.30	N	X MC	
13	P	04	1	17	PBF3	E-2N	-	-	-	-	1.03	1.60	1.40	0.37	N	X LC	
13	P	04	1	17	PBF3	E-2N	-	-	-	-	0.59	1.61	1.30	0.21	N	X MC	
13	P	04	1	17	PBF3	E-2N	-	-	-	-	0.15	1.19	0.79	0.15	N	X LC	
13	P	04	1	F	14-2	-	N	-	-	-	2.66	2.22	1.30	0.99	N	P	Large MC, smooth?
13	P	04	P-B	I	E	-	S	C	-	-	3.35	2.68	2.04	0.38	N	L	Secondary deart
13	P	04	P-B	I	E	-	S	C	-	-	1.36	2.16	1.52	0.29	N	L	Cort on edge
13	P	04	P-B	I	BF	-	N	U	-	-	0.69	2.68	1.16	0.27	N	L	
13	P	04	P-B	I	F	-	T	C	-	-	0.54	2.00	0.97	0.35	N	L	
13	P	04	3-PB	P	PBF3	E-3N	-	-	-	2.1	0.85	2.31	1.10	0.24	N	LC	Virtually indistinguishable from middle material above Cortex and material both

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cont	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	P	11	1	P	PF	35-F	N	61/82	2.6	1.53	2.50	1.43	0.44	N	R	L	Core-shaping?
13	P	11	P-8	T	F	-	S	NA 15-	-	2.76	2.39	3.30	0.40	P	Y		Secondary Jecort
13	P	13	1	P	PF	35-F	N	67/84.8	4.6	2.49	3.12	1.90	0.30	D	Y	HS	Med Hinge
13	P	13	1	D	PF	35-F	N	-	-	1.52	4.04	1.22	0.30	P	S	HS	
13	P	13	1	D	PF	35-F	N	-	-	0.78	1.37	1.52	0.25	N	Y	NC	
13	P	13	1	D	PF	35-F	N	-	-	1.89	2.54	1.71	0.39	N	Y	LC	
13	P	13	1	I	PF	35-F	N	-	-	2.23	2.05	2.90	0.22	N	L		Med 35 3 facets
13	P	13	1	P	PF	35-F	N	58/50	2.0	3.15	2.34	3.08	0.23	N	Y	HS	lots of OR
13	P	13	1	D	PF	35-F	N	-	-	0.43	1.63	1.00	0.27	N	Y		
13	P	13	1	D	PF	35-F	N	-	-	1.33	3.15	1.54	0.26	N	Y	M	
13	P	13	1	D	PF	35-F	N	-	-	0.73	2.43	0.95	0.30	N	Y	LC	
13	P	13	1	I	PF	35-F	N	-	-	1.00	1.62	2.08	0.26	N	L		Secondary
13	P	13	1	F	PF	35-F	N	60/59	2.4	0.55	1.41	1.28	0.23	N	L		Poss E-D 35 core
13	P	13	1	P	PF	35-F	N	57/53.3	2.1	2.80	2.81	0.43	0.43	P	Y	HC	
13	P	13	1	F	OR	-	N	-	-	0.21	2.05	0.90	0.11	N	P		Not a 35? Keene
13	P	13	1	P	PF	35-F	N	59/62	2.8	1.40	2.28	1.49	0.34	N	Y	MC	
13	P	13	1	M	PF	E	N	-	-	0.24	1.49	1.07	0.22	N	L		
13	P	13	1	I	ID	-	N	U	3.9	0.59	1.13	2.25	0.26	N	P		H. Prob 35 core
13	P	13	1	F	PF	35-F	N	-	-	0.18	1.61	0.85	0.14	N	N		35 core
13	P	13	1	P	35-F	-	N	60/55	2.0	0.20	1.05	0.91	0.19	N	Y		Hinge - possibly intruded blade
13	P	13	1	F	PF	35-F	N	-	-	0.38	1.16	1.13	0.25	P	P		C-17 35
13	P	13	1	P	CR	35-F	N	58/50	1.3	0.34	1.86	1.27	0.16	N	Y		
13	P	13	1	P	PF	35-F	N	57/53.7	2.8	0.35	1.23	0.94	0.27	P	Y	M	Water-worn
13	P	13	1	P	35-F	-	N	60/55.2	2.1	0.29	1.35	0.86	0.18	N	L		Nearly identical to above
13	P	13	1	D	PF	35-F	N	-	-	0.33	1.46	1.29	0.13	N	L		Prob 35
13	P	13	1	D	35-E	-	N	-	-	0.21	1.27	1.11	0.16	N	N		Rippled
13	P	13	1	M	PF	35-F	N	-	-	0.48	1.88	1.05	0.22	N	L		
13	P	13	1	M	PF	35-F	N	-	-	0.80	1.44	1.37	0.30	N	L		
13	P	13	1	M	PF	35-F	N	-	-	0.30	1.28	0.93	0.24	N	Y	LC	
13	P	13	1	M	PF	35-F	N	-	-	0.23	1.28	0.81	0.21	N	P		

By

Year / Page:

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	P	13	P-B	I	F	-	D	C	-	-	23.57	4.01	4.34	1.36	N	P	Decort Per
13	P	13	P-B	I	F	-	D	C	-	-	11.17	4.28	3.35	0.70	N	N	"
13	P	13	P-B	I	F	-	D	C	-	-	2.51	3.16	1.74	0.49	N	N	" Bipolar
13	P	13	P-B	I	F	-	S	-	-	-	1.25	1.91	2.46	0.27	N	P	X-section
13	P	13	P-B	I	F	-	D	C	-	-	1.81	2.77	1.56	0.37	N	N	Decort
13	P	13	P-B	I	F	-	D	C	-	-	0.90	2.09	1.55	0.18	N	N	"
13	P	13	P-B	I	F	-	S	C	-	-	1.61	2.06	2.15	0.48	N	Y	Secondary decort
13	P	13	P-B	I	F	-	N	-	-	-	0.24	1.35	1.03	0.18	N	L	
13	P	13	P-B	I	F	-	N	-	-	-	0.25	1.23	0.81	0.27	N	P	
13	P	13	P-B	I	F	-	S	C	-	-	0.05	1.31	0.90	0.11	N	N	
13	P	13	P-B	I	F	-	N	C	-	-	0.71	1.79	1.06	0.25	N	L	Poss. obs 3
13	P	13	P-B	I	F	-	N	C	-	-	1.20	2.57	1.87	0.35	P	L	
13	P	13	P	I	E	-	N	-	-	-	0.94	2.37	1.24	0.20	N	P	
13	P	13	C-B	I	C	-	S	-	-	-	66.71	4.38	4.06	3.10	N	Y	
13	P	01	I	H	P-B	F	N	-	-	-	1.00	1.93	1.19	0.35	N	L	

*

By:

Year / Page: _____

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec.	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	I	27	1	D	PBF3	E-2N	-	-	-	-	0.61	1.77	1.17	0.33	N	Y	Hand made
13	N	27	1	P	PBF3	E-2N	NA	-	-	-	1.48	2.33	1.55	0.39	N	Y	MC
13	N	27	1	P	PBF15	E-1N	-	-	-	-	1.62	2.65	1.37	0.38	P	Y	MC
13	N	27	5	P	PBF3	E-2N	-	-	-	-	0.34	1.82	0.87	0.17	N	Y	MC
13	P	06	1	M	PBF3	E-2N	-	-	-	-	1.86	2.12	1.57	0.40	P	Y	HC fairly heavy use
13	P	06	1-2	M	PBF3	E-2N	-	-	-	-	2.72	3.23	1.63	0.37	N	Y	MC
13	P	06	P-B	I	E	-	D	C	-	-	5.72	3.41	3.10	0.45	N	Y	Pimsey decort.
13	P	06	P-B	I	E	-	D	V	-	-	8.14	2.77	3.16	0.73	N	Y	"
13	P	06	P-B	I	E	-	D	V	-	-	5.55	3.33	2.98	0.54	N	Y	"
13	P	06	P-B	I	E	-	D	C	-	-	2.10	3.05	1.45	0.67	N	Y	"
13	P	06	P-B	I	E	-	D	-	-	-	2.75	2.58	2.30	0.48	P	Y	"
13	P	06	P-B	I	E	-	S	V	-	-	5.76	3.19	3.28	0.71	N	Y	Discol 70-80% cortex
13	P	06	P-B	I	E	-	S	V	-	-	3.48	3.27	2.90	0.54	N	Y	Discol 50% cortex
13	P	06	P-B	I	E	-	S	V	-	-	1.20	1.51	1.58	0.53	N	Y	40%
13	P	06	P-B	I	E	-	S	V	-	-	0.72	1.14	1.44	0.40	N	Y	15%
13	P	06	P-B	I	E	-	S	-	-	-	0.34	1.42	1.32	0.29	P	Y	Smash?
13	P	06	P-B	I	E	-	N	-	-	-	0.94	2.87	0.96	0.50	P	Y	Smash?
13	P	06	P-B	I	E	-	S	V	-	-	1.78	2.91	1.67	0.42	N	Y	60% cortex
13	P	06	P-B	I	E	-	S	-	-	-	0.76	1.86	0.63	0.58	P	Y	
13	P	06	P-B	I	E	-	S	-	-	-	2.31	2.34	1.65	0.87	P	Y	
13	P	06	P	I	E	-	N	C	-	-	0.79	1.99	1.68	2.34	N	Y	
13	Q	02	1	M	PBF3	E-3N	-	-	-	-	1.54	1.88	1.46	0.48	N	Y	MC

By

Year / Page: _____

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
13	J	24	1	M	35	N-2	-	-	-	-	1.75	347	125	.27	N	LC	Longette breck
13	J	24	1	P	35	N-2	-	592	74	1.8	1.77	368	135	0.30	N	LC	
13	J	24	1	M	35	N-3	-	-	-	-	203	353	127	0.31	N	LC/B	
13	J	34	1	-	C-B	-	N	-	-	-	1.15	220	185	0.53	N	PdN	
13	J	34	1	F	35	N-2	-	-	-	-	0.44	139	(1.28)	-	N	LC	Small fragmented - not identified ?
13	J	34	1	C	P8C	N/A	N	-	-	-	0.43	-	-	-	NA	NA	" water worn
13	J	34	1	C	P8C	NA	N	-	-	-	0.50	-	-	-	NA	LC	"
13	J	34	CFT	-	C	-	S	-	-	-	2.79	255	2.65	1.35	Y?	NA	Fragment of core?
13	K	11	1	M	35	F-2	N	-	-	-	440	537	139	0.45	N	NA Hc	Very regular
13	K	11	1	M	35	F-2	N	-	-	-	274	368	128	0.39	N	VHd/w	
13	K	11	1	P	35	N-2	N	596	5.2	2.2	0.78	2.95	0.72	0.33	N	LC	Very late
13	K	11	1	P	35	N-2	N	578	6.8	2.8	3.07	2.93	1.84	0.55	N	MC	Pill for sourcing
13	K	11	2	P	35	F-2	N	NA	-	-	1.64	333	1.06	0.33	D	HA	
13	K	11	1	P	35	N-2	N	596	6.7	2.3	1.69	2.03	1.89	0.37	N	LC	
13	K	11	1	P	35	N-2	N	6108	7.9	2.3	1.14	1.98	1.55	0.28	N	MC	
13	K	11	P	I	F	-	S	-	-	-	1.19	1.45	2.51	0.52	N	L	
13	K	11	P	I	F	-	S	-	-	-	1.04	1.77	1.42	0.57	N	L	
13	K	14	1	M	35	N-2	-	-	-	-	448	558	1.91	0.39	N	MC	
13	L																
13	L	16	1	F	N-2	N	-	-	-	-	1.23	2.03	1.56	0.44	P	MS	
13	L	16	T	MH	N-2	-	-	-	-	-	3.13	360	1.86	0.39	N	MC	Broken in two
13	L	16	1	M	35	N-2	N	-	-	-	0.72	1.95	1.21	0.34	N	LC	
13	L	16	1	M	35	N-2	N	-	-	-	1.65	2.02	2.27	0.29	N	LC	
13	L	16	P8	I	BF	-	S	63	-	-	241	3.83	1.45	0.31	N	L	Pd percussion
13	L	16	CFT	F	F	-	-	-	-	-	1.41	1.90	1.67	0.44	P	Y	Very fine
13	M	08	1	F	I	-	N	-	-	-	1.80	247	1.62	0.42	P	HS	

PVN Lithics Catalog Form

Op	Sub	Lot	Mat	Seg	Spec	Reg	Cort	SP	L	W	Mass	Len	Wid	Thk	Ret	Use	Comments
14	E	01	1	17	35	N-2					1.02						Poss 1/5
	04	1	E	C		N					1.74						Poss 1/01
	03	1	17	(2)35	N-2						4.38	1=4.04					Both near F
	04	1			15-F						1.07	2.13	1.82	0.47	N	LC	Eq. valent to 15-C
	05	1	P	35-2							1.45	2.49					
	05	1	17	35	N-X						2.94	4.01					
	06	3	P-B	17	PBF	P					1.00						
	07	1	P	P-2							1.77	2.05	1.57	1.10	N	L	Impurity too fragmentary to tell core
	10	1	17	35	N-2						3.65						
	10	1	17	15	N-2						2.91						
	11	1	1	15-5							1.60	3.46	1.27	0.42	N	LC	
	12	1	100F	F		N					8.13						
	13	1	ND	35	N-1						0.65						
	15	1	P	35	N-1						2.06	4.00					Bag says 104
	15	1	F	IF							0.20	1.25	0.85	0.17	N	L	
	16	1	17	35	F-2						2.87	3.96					
	16	1	D	35	N						2.30						
	16	1	17	15	N-X						1.95						
	16	1	17	35	N						0.62						
	16	1	17	35	N						3.08						
	17	1	P	35	N-2						1.73						
	17	1	M	35	N-2						0.47						
	17	1	F	CB							4.67	2.00	2.47	1.13	Y	Y	S-M 35 4 Feeds
	19	1	M	(2)35	N-2						2.83						
	19	1	M	35	N-2						3.41	3.33	1.46	0.61	N	LC	Very thick
	19	3	P-B	17	PBF	N-2					0.41						
	20	1	F	ID							0.76	1.27	2.24	0.32	N	L	Pec. sec. dorsal ? core
	23	1	17	35	F-2						3.47						
	24	1	17	35	F-2						5.91						
	29	1	17	35	F-2						2.18	4.57					